

傑期 提供品質優良的鋼材

EXPERIENCE RAPID SERVICE

🗟 備有不銹鋼超寬板完整規格及尺寸,可快速出貨。

本公司主要經銷日本及歐洲的 304/304L、316/316L、310S 及 雙相鋼 S31803/S32205 等不銹鋼超寬板及鋼捲。

卓越的加工能力。

- 幽 CNC 電漿水中切割加工。
- ℤ CNC 剪、折床加工。

窗 高雄港南星自由貿易港區的進出口優勢。

將倉庫和加工中心整合以達到服務客戶的最佳效率。

● 通過品質管理系統 ISO-9001 認證。

我們符合 ISO 9001:2015 的作業認證規範,致力於提供客戶更優質的服務。



目錄

目錄

CONTENTS

傑期提供品質優良的鋼材

03

公司簡介	03
Company Profile	
傑期企業四大競爭優勢	05
Competitive Advantages	
產品介紹	07
Product Description	
產品規格	09
Product Specifications	
加工設備	11
Processing Equipment	
ISO 9001 認證	13
ISO 9001 Certification	

Contents 02



▲ 使用日本 NSSC 70mm 厚板切割,拋光製成

公司簡介

公司介紹

Company Profile

品質第一、規格齊全、出貨快速



▲ 傑期和發總公司。

傑期企業股份有限公司成立於 1991年,一直 致力於不銹鋼板、捲的進出口買賣及切割裁 剪等加工業務。本公司主要經銷日本及歐洲的 304/304L、316/316L、310S 及雙相鋼 S31803/ S32205 和 S32750 等不銹鋼超寬板和鋼捲、 鋼管,並取得歐洲 9Ni 鋼板的代理。

傑期企業提供品質優良的鋼材,專用於製造化 工設備、儲槽、電廠工程、真空腔體,染整機器 及石油和天然氣設備。不銹鋼超寬板不僅節省 焊道、時間,降低工資和維護成本,更能提高 安全性。

為了因應市場需求,傑期企業於硬體設備持

續更新,除了斥資 CNC 水中切割及 2m 寬 鋼捲整平機設備之外,更投入南星自由貿易 港區建設大林一/二廠,佔地 100,000m²以 利業務拓展。接著2020年我們搬遷到佔地 20,000m² 的和發工業區,將倉庫和加工中心 整合以達到服務客戶的最佳效率,再加上華東 廠,目前總共有130,000m²的土地。

此外,本公司為了精進內部管理,已於2014 年通過英商勞氏檢驗的 ISO 9001 品質管理系 統認證, 我們符合 ISO 9001: 2015 的作業認 證規範,希望給予客戶更好的服務品質。

Company Profile 04

Jye Chi Corporation has been dedicated to importing and exporting stainless steel plate/coil and tube, as well as being a cutting service center, since 1991. We are a solid distributor of Japan and Europe origin mainly in 304/304L, 316/316L, 310S, Duplex S31803/ S32205 and S32750 including the exclusive agency of 9% Nickel steel. We can offer a full range of stock with extra wide selections and prompt shipments.

Jye Chi is specialized in the supply of quality stainless steel material, which is applied to the fabrication of petrochemical storage tanks, oil & gas equipment, power engineering and vacuum chamber. The ultra wide plates can save welding process, time, labor and maintenance cost.

In order to meet the market demand, Jye Chi keeps investing in the advanced facility such as CNC in water cutting and 2-meter cut to length leveler equipment. In addition, the new plant in Nansing Free Trade Zone has started the operation to benefit the business progress. In 2020 we moved to the new premises located in He Fa industrial zone, where integrates warehousing and processing capability has been optimized the overall efficiency. We currently have the land of 130,000 square

meters covering 3 locations incl. the head office 20,000 sm.

We have been in conformance with the quality management of ISO 9001 since 2014. We aim to enhance both internal improvements and external competitiveness.





05 傑斯企業四大競爭優勢

傑期企業四大競爭優勢

Competitive Advantages

給您最好的服務與品質。



▲ 傑期不銹鋼板。

提供完整規格、快速出貨的不銹鋼超寬板。

傑期主要經銷日本及歐洲的 304/304L、316/316L、310S 及雙相鋼 S31803/S32205 和 S32750 等優質不銹鋼超寬板及鋼捲,專用於製造化工儲槽、石油 & 天然氣設備、電廠工程及半導體相關設備,不僅節省焊道、時間,降低工資和維護成本,更能提高強度安全。

A comprehensive stock availability in stainless steel quarto plates with prompt shipments

- Mainly in 304/304L, 316/316L, 310S, Duplex S31803/S32205 and S32750.
- Applications: Petrochemical storage tank, Oil & Gas facility, Power engineering and Semi-conductor industry.
- Ultra-wide plates can save welding, time, labor and maintenance costs with the benefits of strength & safety.





Competitive Advantages 06



高雄港南星自由貿易港區進出口優勢

大林廠位於高雄港南星自由貿易港區內,地理 位置優越,有利於通關作業,簡化出口流程, 提高效率。我們擁有廣大的廠房,提供給客戶 製造、焊接以及堆放大型化工或石油設備的場 所。這些廠房不僅滿足客戶的生產需求,也能 降低倉儲及運送費用,提升競爭力。

Import/Export strength from Nansing Free Trade Zone

- Simplify import/export process, excellent location for Dalin plant to enhance shipping efficiency.
- Spacious floor for easy fabrication of larger industrial equipment.
- · Warehousing and delivery facilitation.

通過品質管理系統 ISO 9001 認證

傑期是不銹鋼產業的卓越企業,深耕超過30年。不僅注重廠房投資、設備更新等硬體升級,也於2014年通過品質管理系統認證,提升公司人員素質,滿足客戶需求,提供更好服務。

Accreditation of ISO 9001 quality management

- Dedication in stainless steel industry for over 3 decades.
- Keep investing in the optimization of corporate operation and upgrading the processing facilities.
- Promote the staff ability through on job training, Meet the high demanding requirements from customers and industry competitiveness.



▲ 傑期加工・

卓越的加工能力

傑期企業擁有超過 30 年切割及裁剪經驗的 資深團隊,配備了先進的設備和技術。可進行 水中切割的 CNC 電離子切割機,可大幅減少 熱效應,便於後續加工,延長工具使用壽命,提 高生產效率;另外 2M 開捲整平機,加工厚度 可到 12mm,寬度達 2M,滿足客戶需求!

Remarkable processing capability

- Over 30-year cutting professional team.
- CNC plasma in water cutting facility to lessen heat effect and make the further machining easier.
- Cut to length leveling line to process up to 2-meter wide and 12mm thick coils.



▲ 傑期辦公室

產品介紹

產品介紹

Product Description

尺寸齊全、快速出貨。



提供大尺寸鋼板

大尺寸鋼板能夠減少焊接點的數量,從而降 低焊接成本和製程成本。同時也減少了焊接 造成的熱影響區的範圍,有助於保持材料的 結構強度和穩定性。

Availability of larger sizes

Larger size allows to reduce the number of welding spots, then to decrease welding and processing costs. Meantime it also minimizes the heat-affected area caused by welding, aiming to maintain the structural strength and stability of the material.





Product Description 08


具有良好的耐腐蝕性能,可供多種鋼種使用


我們還引進了適用於各種腐蝕環境的鋼種,並 提供了詳盡的技術數據,以確保客戶可以放心 使用我們的產品。

Excellent corrosion resistance, Fit to the extreme environments with the selection of various grades

We have developed steel grades suitable for different corrosive environments. In addition, we also provide detailed technical data to ensure customers being confidently use our products.









品質穩定

憑藉著卓越的技術和豐富的經驗,我們從鋼 材製造到最終工序的全程品質控制上保持著 一貫的高水準,確保產品品質穩定卓越。

Stable Quality

With our outstanding expertise and extensive experience, we maintain consistently high standards of quality control throughout the entire process, from steel manufacturing to the final stages in order to assure the stable and premium products.

表面潔淨

表面經酸洗或拋光處理,使其具光潔、美觀外觀,且變化微小。我們可根據需求調整光潔度,滿足不同客戶要求。

Purified Surface

The surface has gone through pickling or polishing treatment, resulting in a smooth and aesthetic appearance with the minimal defects. We could adjust the surface brightness according to customer's diverse needs.

09 產品規格

產品規格


Product Specifications

日本 Nippon Steel 歐洲 Outokumpu Finland/Sweden Industeel Belgium/France

鋼種 Grade	品名 Product	表面 Surface	厚度 (mm) Thickness	寬度 (mm) Width	長度 (mm) Length
304/304L	不銹鋼中厚板 Stainless steel quarto plate	No.1	5.00~130	1219~4000	可指定長度 Maximum: 12200mm
	不銹鋼捲 Stainless steel coil	2B	0.30~3.00	1219~2000	可指定長度 Customized length
	不銹鋼捲 Stainless steel coil	No.1	3.00~12.00	1219~2000	可指定長度 Customized length
316/316L	不銹鋼中厚板 Stainless steel quarto plate	No.1	5.00~120	1219~4000	可指定長度 Maximum: 12200mm
	不銹鋼捲 Stainless steel coil	2B	0.30~6.00	1219~2000	可指定長度 Customized length
	不銹鋼捲 Stainless steel coil	No.1	3.00~12.00	1219~2000	可指定長度 Customized length
310S	不銹鋼中厚板 Stainless steel quarto plate	No.1	6.00~60	1219~3800	可指定長度 Maximum: 12200mm
	不銹鋼捲 Stainless steel coil	2E	0.30~8.00	1219~2000	可指定長度 Customized length
	不銹鋼捲 Stainless steel coil	No.1	2.70~12.70	1219~2000	可指定長度 Customized length
317L	不銹鋼中厚板 Stainless steel quarto plate	No.1	6.00-75	1219~3800	可指定長度 Maximum: 12200mm
	不銹鋼捲 Stainless steel coil	2E	0.40-6.50	1219~2000	可指定長度 Customized length
	不銹鋼捲 Stainless steel coil	No.1	5.00-10.00	1219~2000	可指定長度 Customized length
S31803/S32205 雙相鋼 Duplex	不銹鋼中厚板 Stainless steel quarto plate	No.1	6.00-75	1219~3800	可指定長度 Maximum: 12200mm
	不銹鋼捲 Stainless steel coil	2E	0.40-6.00	1219~2000	可指定長度 Customized length
	不銹鋼捲 Stainless steel coil	No.1	3.50-10.00	1219~2000	可指定長度 Customized length
S32750 超級雙相鋼 Super Duplex	不銹鋼中厚板 Stainless steel quarto plate	NO.1	6.00-75	1219~3800	可指定長度 Maximum: 12200mm
	不銹鋼捲 Stainless steel coil	2E	0.40-6.00	1219~2000	可指定長度 Customized length
	不銹鋼捲 Stainless steel coil	NO.1	5.50-8.00	1219~2000	可指定長度 Customized length

Product Specifications 10









11 加工設備

加工設備

Processing Equipment

卓越的加工能力。



▲ 傑期華東廠 2M 開捲整平機。

2M 開捲整平機

可 進 板 寬: 600mm~2000mm

可切板厚: 2mm~12mm

可切板長度: 1M~15M,客戶可指定。

Cut to length leveling line

• Processing width: 600-2000mm

• Processing thickness:2-12mm


• Processing length:1M-15M







Processing Equipment 12



CNC 電漿 500A 精密水中切割機

機檯面寬 5M 長度 10M

特點:可水中切割至厚度 50mm 切割面平整大幅減少熱效應成品不變形

CNC plasma highly-accurate in water cutting machine

- cutting machine Width: 5 M / Length: 10 M
- Process up to 50mm thick
- Good flatness of cutting edge
- Less heat effect, Non-deformation



CNC 電漿 1200A 乾式切割機

機檯面寬 5M 長度 14M

特點:可割厚度至 220mm 加工範圍 4M X 12.5M

CNC Plasma 1200A cutting machine

- cutting machine Width:5 M / Length:14 M $\,$
- Process up to 220mm thick and 4M x 12.5M in size



CNC 電漿 800A 精密水中切割機

機檯面寬 5M 長度 10M

特點:可水中切割至厚度 75mm 切割面平整、大幅減少熱效應、成品不變形

CNC plasma highly-accurate in water cutting machine

- cutting machine Width:5M / Length:10M
- Process up to 75mm thick
- Good flatness of cutting edge
- Less heat effect, Non-deformation



CNC800 噸油壓折床機

機檯面寬 6.5M 側寬 2.5M

特點:角鐵、槽鐵加工厚度 2mm-12mm 長度可達 20 尺

CNC Press Brake Bending Machine

- Machine width: 6.5M/depth: 2.5M
- Capability:bent angles & channels
- Bent thickness: 2~12mm / length: 6096mm

13 ISO 9001 認證

ISO 9001 認證

ISO 9001 Certification

提供更好的服務能力。



CERTIFICATE OF APPROVAL

This is to certify that the Quality Management System of:

JYE CHI CORPORATION No. 5, Dayou 4th St., Daliao Dist., Kaohsiung City 831, Taiwan (R.O.C.)

has been approved by Lloyd's Register Quality Assurance to the following Quality Management System Standards:

ISO 9001:2008


The Quality Management System is applicable to:

Machining and sales of stainless steel materials.

Approval Certificate No: TWN6019361 Original Approval: 09 May 2014

Current Certificate: 09 May 2014

Certificate Expiry: 08 May 201



Issued by: Lloyd's Register Inspection Limited Taiwan Branch for and on behalf of Lloyd's Register Quality Assurance Limited





Rm. 1102, 11Fl. Worldwide House, 129 Min-Sheng East Road, Sec. 3, Taipei, Taiwan, R.O.C. for and on behalf of Hiramford Middlematch Office Village Sakin Divis Covertby CV3 4Fl. Untel Kengdown. Registration number 18/93/70 The use of the Middlematch American International Conference on the Middlematch American Action Registration on The United Programs of the Middlematch American Action Registration Conference Confe

Libyd's Register Group Limited, its afficiates and subsidiaries, including Libyd's Register Quality Assurance Limited (EIQA), and their respective officers, employees or agents are, includually and collectively, referred to m this classes as Tuyes's Register Libyd's Register assumes no responsibility and shall not be lable to any person for any loss, durange or expense caused by relaince on the information or advice in this document or however provided, unless



Current issue date: Expiry date: Certificate identity pur 17 October 202 16 October 202 10398700 Original approval(s): ISO 9001 - 17 October 2021

Certificate of Approval

This is to certify that the Management System of:

JYE CHI Corporation

No. 13 Shangfa 3rd Rd. Daliao Dist., Kaohsiung 831132, Taiwan

has been approved by Lloyd's Register to the following standards:

ISO 9001:2015

Approval number(s): ISO 9001 - 00032910

The scope of this approval is applicable to:

Machining and sales of stainless steel materials

NA

Rhett Wang

Area Operations Manager, North Asia

Issued by: Lloyd's Register Inspection Limited Taiwan Branch for and on behalf of: Lloyd's Register Quality Assurance Limited





Supplies Group Limited, its allitates and subsidiaries, including Luyd's Register Quality Assurance Limited (IRQA), and their respective offices, employees or agent in reviolating and confidency, effected to in the Laure as Turyd's Register Luyd's Register amen on expensionally and and not be laised any appearent are ny local large and the Laure and the Laure and Laure as the Lau

Page 1 of

▲ ISO 9001 認證證書。



ISO 9001 Certification 14





▲ 大尺寸鋼板庫存。



▲ 傑期辦公總部。



▲ 無縫鋼管庫存。



傑期企業股份有限公司 JYE CHI CORPORATION

總公司

831 高雄市大寮區和發工業區上發三路 13 號

華東廠

831 高雄市大寮區大發工業區華東路 35-2 號

南星自由貿易港區 / 大林一廠 812 高雄市小港區鴻星一路 23 號

% : 886-7-787-5855

886-7-787-7939

: https://www.jyechi.com.tw/

: No. 13, Shangfa 3rd Rd., He Fa Industrial Zone,

Daliao Dist., Kaohsiung 831132, Taiwan







傑期□頻道